

# Application No. Applicant(s) 10/717,395 OLSON, WALTER H. Notice of Allowability **Art Unit** Examiner 3766 Tammie Heller -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to *communications filed on 7 December 2005*. 2. The allowed claim(s) is/are 1-23. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) ☐ Some\* c) ☐ None a) 🔲 All 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). \* Certified copies not received: \_\_\_\_\_. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☑ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached 1) M hereto or 2) to Paper No./Mail Date \_ (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. TDEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 5. Notice of Informal Patent Application (PTO-152) 1. Notice of References Cited (PTO-892) 6. M Interview Summary (PTO-413), 2. Notice of Draftperson's Patent Drawing Review (PTO-948) Paper No./Mail Date 2/1/06. 7. X Examiner's Amendment/Comment 3. ✓ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 2/6/04;6/21/04 8. X Examiner's Statement of Reasons for Allowance Examiner's Comment Regarding Requirement for Deposit of Biological Material 9. Other \_\_\_\_.

Page 2

### **DETAILED ACTION**

#### Election/Restrictions

1. Applicant's election of Group 1, claims 1-23 in the reply filed on December

7, 2005 is acknowledged. Because applicant did not distinctly and specifically

point out the supposed errors in the restriction requirement, the election has

been treated as an election without traverse (MPEP § 818.03(a)).

#### **EXAMINER'S AMENDMENT**

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael Solder on February 1, 2006.

The application has been amended as follows: Claims 24-27 have been cancelled.

## Allowable Subject Matter

- 3. Claims 1-23 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

While the prior art, such as Patent No. 6,647,292 to Bardy and Patent No. 6,952,610 to Ostroff, discloses similar inventions, it fails to anticipate each and every limitation set out in claim 1. The prior art teaches of subcutaneous implantable cardioverter/defibrillators which include a hermetically sealed housing, including a first cardioversion/defibrillation electrode, placed on one side Art Unit: 3766

of the heart with an electrical cable having a plurality of conductors extending from the first housing. However, the prior art fails to teach a second hermetically sealed housing, including a second cardioversion/defibrillation electrode, connected to the first housing via the electrical cable and being located on a side of the heart opposite the first housing. Rather, the prior art teaches of electrodes disposed directly on the electrical cable which may be placed on the heart. Furthermore, while patents to Meltzer (U.S. Patent No. 5,645,586) and Heinze et al. (U.S. Patent No. 4,877,032) disclose first and second hermetically sealed housings connected via a electrical cable having a plurality of conductors, they fail to teach or suggest the inclusion of cardioversion/defibrillation electrodes disposed directly on the first and second hermetically sealed housings and the placement of the first and second hermetically sealed housings such that the

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

heart is disposed between the first and second housings.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tammie Heller whose telephone number is 571-272-1986. The examiner can normally be reached on Monday through Friday from 7am until 3:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert E. Pezzuto can be reached on 571-272-6996. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Robert E. Pezzuto

Supervisory Patent Examiner

Art Unit 3766

TKH